TECHNICAL SPECIFICATIONS
CARAVANS 2016

DESEO . SPORT&FUN . SPORT . LIFESTYLE . SÜDWIND . SÜDWIND EXCLUSIVE . EUROSTAR

KNAUS
FREIHEIT. DIE BEWEGT.

LAYOUTS 2016

CARAVANS

DESEO

page 3

Deseo 400

Deseo 400 Transport



SPORT&FUN

page 6

Sport&Fun 480 QL

SPORT

page 8

Sport 400 LK



Sport 400 QD

Sport 420 QD

Sport 450 FU

Sport 460 EU

Sport 500 EU

Sport 500 FDK



Sport 500 FU



Sport 500 QDK

Sport 550 FSK



Sport 580 FUS



Sport 580 QS

Sport 650 UDF



Sport 700 UFK



Sport 750 FKU

LIFESTYLE

page 14

Lifestyle 550 LK

SÜDWIND

page 16

Südwind 420 QD

Südwind 450 FU

Südwind 460 EU

Südwind 500 EU

Südwind 500 FU

Südwind 500 FDK



Südwind 500 FVU



Südwind 500 FSK

Südwind 580 EU

Südwind 580 FSK



Südwind 580 QS



Südwind 590 FUS



Südwind 700 EU

Südwind 750 UFK

SÜDWIND EXCLUSIVE

page 21

Südwind Exclusive 450 FU



Südwind Exclusive 500 FU

Südwind Exclusive 580 EU

Südwind Exclusive 580 UF

Südwind Exclusive 650 UDF



Südwind Exclusive 750 UFK

EUROSTAR

page 25

Eurostar 650 ES

DESEO

Technical specifications





KNAUS DESEO	DESEO	DESEO plus	DESEO transport	DESEO transport plus
				• = option | – = Not available | X = standard equipment
Dimensions				
Overall length including drawbar	588	588	592	592
Body length without / with gas bottle locker	400/440	400/440	400/440	400/440
Overall width / interior width (in cm)	218/204	218/204	218/204	218/204
Overall height / interior headroom (in cm)	253/195	253/195	253/195	253/195
Awning dimensions (cm)	868	868	868	868
Weights				
Mass of the unladen vehicle in kg **	700	765	870	935
Mass in running order in kg **	700	807	870	977
Maximum technically permissible laden mass in kg **	850	1000	1350	1500
Maximum user payload (kg) **	150	193	480	523
Chassis				
Hand brake: Gas-assisted / servo-assisted hand brake lever	X / -	X / -	-/ X	-/ X
Low-profile tyres:	185/65R14	185/65R14	185/65R14	185/65R14
Body				
Gas bottle locker in the front, for 2 x 11 kg gas bottles, lockable	•	X	•	X
Forced ventilation: Mushroom vent on the roof, 2 vents in the floor / skylight	X / -	X / X	X / -	X / X
Heating				
Gas heating: Type Truma S3002 without fan (at extra charge)	•	X	-	-
Gas heating: Type Truma E2400 with fan	-	-	•	X
Kitchen				
Kitchen module (refrigerator: RM4180 incl. 5 litre freezing compartment with piezo ignition, gas / 12 Volt / 230 Volt, 60 ltr., cooker unit, sink: 2-burner gas hob, stainless steel sink, fresh water: 15 litre tank, water supply: immersion pump, 12 V X (single-lever mixer in the kitchen), waste water: central waste water conduit (one outside drain under the floor)	•	X	•	
Sanitary area				
Toilet module, outside dimensions: 906 x 696 x 1950mm (400 LKK), 1030 x 720 x 1950 (Transport) Thetford C402X bench toilet	•	•	X	X

*) including drawbar

– Not provided

**) For explanations please refer to page 27.

KNAUS DESEO	DESEO plus	DESEO transport plus
Body		
Windows: Hinged double windows (one each with combi blind in the kitchen area)	5	3
Living room		
Sleeping berths:	4	2
Lying area in the front in cm	201x138	-
Lying area in the rear in cm	196x72 (above)	138x201
	192x61 (below)	
Additional boards for making beds without the table	X	-
Seat group in the rear: Fold-away, with folding table, convertible into a double bed	-	X
Cross bed in the front (fold-away) incl. additional table	•	-
Lifting bed in the rear	-	•

• = option | – = Not available | X = standard equipment

KNAUS DESEO — Modular system

DESEO

- Hinged windows all-around (5 windows, 1 incl. combi blind)
- Corner steadies
- Large rear garage
- Hang-in table (also for outside use)
- Textile stowage elements above: (3 with chest version 1; 2 with chest version [2])
- Kitchen without appliances (fixed kitchen wall cabinet, lamp, and cassette combi blind)
- 1 stowage tray (incl. holding strap)
- Variable beds (bunk bed / cross bed)
- Chest version 1 (2-door chest) or chest version 2 (wardrobe + 1-door chest)

DESEO PLUS

-> Same equipment as DESEO, additional:

- Weight increase up to 1,000 kg
- Heating + gas bottle locker on drawbar
- Stabiliser
- Additional service hatch (front right)
- Kitchen module (refrigerator 60 ltr., sink, 2-burner hob, 15 l fresh water tank)
- Cassette combi blinds (all around)
- Textile stowage element version 1 (2 textile wardrobes) or textile stowage element version 2 (textile wardrobe + shoe rack) [1]

DESEO TRANSPORT

- Hinged windows all-around (3 windows, 1 incl. combi blind)
- Alu skirts
- Large rear flap
- Corner steadies
- 9 Tie-down rings in the floor
- 2 stowage trays (incl. holding straps) [2]
- Folding table (also for outside use)
- Kitchen without appliances (fixed kitchen wall cabinet, lamp, and cassette combi blind)
- Fold-away seat group (convertible into a double bed)
- Chest with fixed top cabinet
- wardrobe with storage shelves (incl. room for folding table)
- open tray shelf
- Toilet module

DESEO TRANSPORT PLUS

> Same equipment as DESEO transport, additional:

- Weight increase up to 1,500 kg
- Heating + gas bottle locker on drawbar
- Stabiliser
- Kitchen module (refrigerator 60 ltr., sink, 2-burner hob, 15 l fresh water tank)
- Cassette combi blinds (all around)

[1]) not applicable with optional toilet module
[2]) not applicable with optional lifting bed

**) For explanations please refer to page 27.

KNAUS DESEO | Standard equipment

- Hang-in table: Also for outside use, can be integrated in the wheel-house panel (DESEO only)
- Folding table: Also for outside use (DESEO transport only)
- Furniture, furniture flaps: Passion Cherry decor; alu design
- Floor covering: Durable, easy-to-keep PVC
- Textile stowage elements: 3 textile cabinets with chest version 1 (DESEO only)
- Upholstery: Criss Cross, Fresh Mint Stripes
- BPW chassis with trailing link axle, light-weight chassis with 4 corner steadies, hot-dip galvanized (DESEO only)
- Al-Ko Euro chassis, tandem axle with trailing link / 4 hydraulic shock absorbers, light-weight chassis with 4 corner steadies, hot-dip galvanized (only DESEO transport)
- Reversing: Automatic reverse
- Roof of GRP w/ reduced sensitivity of hail
- Unitised full-sandwich construction with maxi-PS insulation (wall thickness = 31 mm, floor thickness= 38 mm)
- Side panels in alu - hammer effect, front/rear/roof in flat plate
- Entrance door: Width 57 cm, lateral, horizontally split
- Rear flap: 135 x 154 cm (only DESEO transport)
- Locking system: Comfort one-key locking system
- Additional safety light: 3rd brake light
- Electrical connection to the towing vehicle: Jaeger, 13-pole
- Interior lighting: Kitchen 12 V, living room 12 V
- Power supply: 230 V Euro outside socket, 2 safety sockets inside
- Transformer: 120 VA

KNAUS DESEO | Dusch-Paket

122110 Shower package (9 kg) (DESEO transport only)

101533	Skylight 28 x 28 cm in the bathroom
452055	Fresh water tank 78 ltr. in the chest
450083	Truma Therme mounted in the kitchen (only with 230V operation)
452056	Toiletroom extended (deposit for books eliminates) with wash basin, toilet and shower extension
	Info: Deseo Transport only; not available in combination with, item no. 551708 frame door

KNAUS DESEO | Options

Item no.	• = option | – = Not available | X = standard equipment	kg		DESEO	DESEO plus	DESEO TR	DESEO TR plus
	Weight increase						
150111	up to 1.000 kg	-		•	X	-	-
150112	up to 1.100 / 1.200 / 1.350 kg	-		•	•	-	-
150111	up to 1.500 kg	-		-	-	•	X
150112	up to 1.800 kg	10		-	-	•	•
	VEHICLE						
150108	Aluminium wheels for Mono axle up to 1,300 kg	5		•	•	-	-
150793	Aluminium wheels for Tandem axle	10		-	-	•	•
150620	Roadway kit tyre filling system incl. compressor	2,5		•	•	•	•
150267	Tread width stabilizer	2,5		•	X	•	X
150909	Shock absorber - BPW-chassis (kit Mono axle)	-		•	•	X	X
	BODY						
101298	Drive-on ramp	5		-	-	•	•
100851	Combined blinds all-around	1		•	•	•	•
101299	Motorbike rack 1x (over axle) (orders for 2x 101299 motorbike racks: one over axle, one front hatch)	2,5		-	-	•	•
100079	Bathroom window frosted glass	2		-	-	•	•
	Other						
100039	Bike rack on drawbar, for 2 bikes	5		•	•	•	•
100938	Insect protection blind rollable (full length of the door)	4		•	-	•	-
100750	Midi Heki	2		•	•	•	•
100848	Additional window, front left incl. combined blinds	2		•	•	-	-
	INTERIOR FURNISHING						
	Living / sleeping						
551968	Deluxe bed construction with second compensating cushion (possible for all round seating groups and dinette).			•	•	-	-
550660	Decoration packages: table cloth/s, pillows/cushions, blanket	8		•	•	•	•
551674	Lifting bed 188 x 140 cm	50		-	-	•	•
551708	Frame door (not available in combination with shower package)	4		-	-	•	•
100846	Service flap front right 900x420mm	1		•	X	-	-
550847	Seat boxes with padding (1 pair)	3		•	•	-	-
550850	Fabric bag version 1 (2 textile wardrobes) [1]	4		•	X	-	-
550853	Fabric bag version 2 (textile wardrobe + shoe rack [1]	3		•	X	-	-
552188	Upholstery selection „Active Navy" oder „Active Rock"	-		•	•	•	•
450905	Rest room – Deseo	20		•	-	X	X
450907	Rest room – Deseo plus	20		-	•	X	X
	Gas, heating, water						
351513	Heating + gas bottle box	10		•	X	-	-
551054	Recirculation air system (12V) - only in combination with heating + gas bottle box	4		•	•	-	-
351514	Heating + gas bottle box incl. air circulation	14		-	-	•	X
1000	Kitchen and sanitary area						
401515	Kitchen module (refrigerator 60 ltr., sink, 2-flame gas stove) + gas bottle box	32		•	X	-	-
401516	Kitchen module + heating + gas bottle box	38		•	X	-	-
401812	refrigerator 60 ltr. + gas bottle box	27		•	X	•	X
	Other						
951036	registration papers	-		•	•	•	•

[1]) not applicable with optional toilet module

SPORT&FUN
Technical specifications



KNAUS SPORT & FUN | 480 QL

Technical Specifications/Equipment details	
Total length*	625
Interior length (cm)	480
Total width / Interior width (cm)	232/216
Total height / Interior height (cm)	257/196
Awning dimensions (cm)	
Mass of the unladen vehicle (kg) **	1.060
Mass in running order (kg) **	1.130
Maximum technically permissible laden mass (kg) **	1.300
Maximum user payload (kg) **	170
Tyre size	195/70R14
Rim size	5 1/2 J x 14
Sleeping berths	4
Bed dimensions, front (cm)	B 1428/1245 L1988
Bed dimensions, centre (cm)	B 1210/990 L1920
Hinged windows all around ***	4
Skylights with insect protection	1
Mushroom-shaped fans	1

KNAUS SPORT & FUN | Standard equipment

1. CHASSIS
- ALKO chassis with semi-trailing arm suspension (mono axle; reinforced version)
- 2 hydraulic wheel shock absorbers
- Reversing mechanism
- Servo-assisted handbrake
- AKS stabilizer
- Parking lock with crank supports

2. BODY
- GRP roof with reduced hail sensitivity
- Aluminum hammer tone, front and rear with smooth metal sheeting
- External storage hatch, lockable
- Split entrance door, 60 cm width, incl. waste bin
- Additional rear entrance door, width 920 mm
- One-key locking system
- Gas bottle locker with external hatch (side wall; 2 x 11 kg gas bottles)
- Wall thickness: 31 mm, roof thickness: 31 mm, floor thickness: 38 mm
- Awning light 12 V (awning light rear option)
- Roof railing (max. load 75kg)
- Third break light

3. LIVING AREA
- Furniture decor "Salem Ash"
- high-quality, hard-wearing PVC flooring with ship's galley look
- Wardrobes and storage compartments rear ventilated
- Folding bed at front
- Large storage area underneath the bed
- 5-zone cold foam mattress
- Individually adjustable spots in seating and sleeping area
- Double hinged window with insect screen and blackout roller blinds
- 1 hinged roof light, clear glass, 40 x 40 cm incl. insect screen
- Lounge sofa, converts to double bed (incl. Equalizing pad)
- Upholstery options: Petrol Fun, Fresh Mint
- TV installation preparation
- Ottoman (additional seat, incl. storage space)

4. POWER SUPPLY
- Electric coupling to towing vehicle, Jaeger 13-pole
- Interior lighting, complete, 12 V model
- 230 V Euro exterior power socket, several Schuko interior sockets
- Powerful 12 V and 230 V on-board electrics
- TV installation prepared (co-axial cabling)
- Converter 240 VA

5. GAS/WATER
- Gas heating system: Truma S 3004
- Fresh water tank 45 liters, fixed
- central waste water drain; one external underfloor drain
- Water supply with submersible pump, 12 V
- Truma Therme hot water supply for kitchen and washroom
- Convection system, 12 V, with temperature-dependent speed control for heater blower

6. KITCHEN/WASHROOM
- 3-flame hob with glass cover and stainless steel washbasin
- Fridge Thetford 142 liters, gas, 230 V, 12 V (gas operation in driving mode is only allowed in combination with Truma Mono Control)
- Comfort wet cell (shower equipment optional)
- Washbasin fittings
- hinged T-window, milk glass, without roller blind
- Dometic cassette toilet with ceramic insert
- LED lighting over kitchen worktop
- Drawer

KNAUS SPORT & FUN | Package

114505 Plus package (16,5 kg)

150065	Lift-tilt sunroof, Heki II
100170	Heavy-duty corner steadies
100832	Insect protection blind, full length of the door

**) For explanations please refer to page 27.

*** Interior: fly screen and black out blind

– Not provided
*) including drawbar

Item no.	• = option | – = Not available | X = standard equipment	kg	
	Chassis		
	Weight increase		
150112	1.200 to 1.400/1.500 kg		
150112	1.200 auf 1.600/1.700 kg		
	VEHICLE		
150997	AL-KO-ATC traction control system	4,5	
150108	Aluminium wheels for Mono axle up to 1,300 kg	-	
150109	Aluminium wheels for Mono axle starting from 1,400 kg	-	
150122	Spare wheel incl. car jack	25	
150620	Roadway kit tyre filling system incl. compressor	2,5	
150065	Fixing supports, solid form, long	6,5	
152069	Truma Mover XT / mono axle til 2.000 kg –		
	Installation requires combination with 12 V mobile system (Opt. 250376)	28	
	BODY		
	Windows, doors, vents		
100170	Lift-tilt sunroof, HEKI II	7,2	
100832	Insect protection blind, full length of the door	3	
100526	Serviceklappe Bug links	1,5	
102153	Blinds for hinged window toiletroom -		
	only in combination with Opt. 102154 "Hinged window for toiletroom"	-	
	INTERIOR FURNISHING		
	Living / sleeping		
550660	Decoration packages: table cloth/s, pillows/cushions, blanket	-	
552052	Air condition Freshjet 2200	30	
550040	Fixed beds with spring mattress	9,5	
550076	Carpeting for body lengt 500 to 590	6	
550081	Airmix proportioning of fresh air unit in air circulation system	0,5	
552277	Soap dispenser with additional counter top space	12	
552278	Height-adjustable front bed	10	

Item no.	• = option | – = Not available | X = standard equipment	kg	
	Electrics		
250004	Aerial package Caro	15	
250072	Additional 230 V socket inside	0,3	
250940	Additional 12 V socket inside	0,3	
250941	Combi-external plug socket (combination electricity + TV)	-	
250969	Flat screen TV 19" LCD monitor	9	
251261	Holder for flat screen TV, swivelling	4	
250376	12 V mobile system, comprising: Gel battery, automatic charger, and master switch	28,6	
551327	Smoke warning system	0,3	
	Gas, heating, water		
300518	Exterior gas socket	-	
301956	Mono Contol CS vertical (on 1 gas bottle)	-	
301957	Duo Control CS vertical (on 2 gas bottles)	-	
301057	Remote display + ice-ex for DuoControl	-	
550086	Additional electric heating Truma Ultraheat	2	
450093	Fresh water tank mobile, 25 ltr	0	
450092	Waste water tank mobile, 25 litre	3,3	
450019	City water supply connection (only in combination with fresh water tank 45 ltr.)	0,5	
450563	Fresh water tank liquid level indicator	-	
302033	Gas warning system		
	Kitchen and sanitary area		
452316	shower cabin	5	
	EXTRAS		
500161	Awning 305cm x 250cm – starting from body length 420	23	
101299	Motorbike rack 1x (over axle) (orders for 2x 101299 motorbike racks:		
	one over axle, one front hatch) (Lashing eyelets only available in		
	combination with option 102333)	2,5	
102333	Lashing eyes		
	Other		
100570	Drawbar covering (not available in combination with bike rack on drawbar)	4	

SPORT
Technical specifications







KNAUS SPORT	400 LK	400 QD	420 QD	450 FU	460 EU
Technical Specifications/Equipment details					
Total length*	596	596	640	666	686
Interior length (cm)	400	400	444	470	490
Total width / Interior width (cm)	232 / 216	232 / 216	232 / 216	232 / 216	232 / 216
Total height / Interior height (cm)	257 / 196	257 / 196	257 / 196	257 / 196	257 / 196
Awning dimensions (cm)	828	828	872	898	918
Mass of the unladen vehicle (kg) **	880	880	920	970	1.020
Mass in running order (kg) **	950	950	990	1.040	1.090
Maximum technically permissible laden mass (kg) **	1.100	1.100	1.200	1.200	1.300
Maximum user payload (kg) **	150	150	210	160	210
Tyre size	195/70 R 14	195/70 R 14	195/70 R 14	195/70 R 14	195/70 R14
Rim size	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14
Sleeping berths	4	3 (4) *[2]	3 (4) *[2]	4	up to 4
Bed dimensions, front (cm)	198 x 136	210 x 137/124	207 x 134	198 x 137	196 x 86; 185 x 86
Bed dimensions, centre (cm)	–	–	–	–	–
Bed dimensions, rear (cm)	198 x 76; Klappbett: 213 x 62	193 x 129/97	185 x 144/95	198 x 149/127	198 x 109
Hinged windows all around ***	5	5	6	6	6
Skylights with insect protection	2	2	2	2	3
Mushroom-shaped fans	1	1	1	1	0

– Not provided
*) including drawbar

** Maximum user payload (kg) = Difference between mass of unladen vehicle and permitted total mass.
For explanations please refer to page 27.
*** Interior: fly screen and black out blind

[2]) Move-out for bed extension with compensating cushion (middle seating groups) available as an option, item-no. 551965

SPORT
Technical specifications







KNAUS SPORT	500 EU	500 FDK	500 FU	500 QDK	550 FSK
Technical Specifications/Equipment details					
Total length*	728	728	728	728	750
Interior length (cm)	532	532	532	532	554
Total width / Interior width (cm)	232/216	232/216	232/216	232/216	250/234
Total height / Interior height (cm)	257/196	257/196	257/196	257/196	257/196
Awning dimensions (cm)	960	960	960	960	982
Mass of the unladen vehicle (kg) **	1.060	1.060	1.060	1.060	1.130
Mass in running order (kg) **	1.130	1.130	1.130	1.130	1.200
Maximum technically permissible laden mass (kg) **	1.300	1.300	1.300	1.300	1.400
Maximum user payload (kg) **	170	170	170	170	200
Tyre size	195/70 R14	195/70 R14	195/70 R14	195/70 R14	185 R14C
Rim size	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14
Sleeping berths	4	4 (5) [3]	4	4 (5)	4 (5)
Bed dimensions, front (cm)	2 x 198 x 86	199 x 138	198 x 137	207 x 134	198 x 155
Bed dimensions, centre (cm)	–	207x 95	–	193 x 95	207 x 110
Bed dimensions, rear (cm)	198 x 137	2 x 197 x 70	198 x 153	210 x 72; 210 x 76	223 x 72; 223 x 76
Hinged windows all around ***	6	6	6	6	5
Skylights with insect protection	3	2	2	3	2
Mushroom-shaped fans	0	2	1	1	2

[3]) folding bed above fixed bed available as an option, item-no. 551112

** Maximum user payload (kg) = Difference between mass of unladen vehicle and permitted total mass.
For explanations please refer to page 27.

*** Interior: fly screen and black out blind

– Not provided

*) including drawbar

SPORT
Technical specifications







KNAUS SPORT	580 QS	580 FUS	650 UDF	700 UFK	750 FKU
Technical Specifications/Equipment details					
Total length*	782	782	858	888	944
Interior length (cm)	568	568	660	690	746
Total width / Interior width (cm)	250/234	250/234	250/234	250/234	250/234
Total height / Interior height (cm)	257/196	257/196	257/196	257/196	257/196
Awning dimensions (cm)	996	1.018	1.088	1.118	1.174
Mass of the unladen vehicle (kg) **	1.200	1.200	1.450	1.500	1.670
Mass in running order (kg) **	1.270	1.270	1.520	1.570	1.740
Maximum technically permissible laden mass (kg) **	1.500	1.500	1.800	1.900	2.000
Maximum user payload (kg) **	230	230	280	330	260
Tyre size	185 R14C	185 R14C	185/65 R14	185/65 R14	195/70 R14
Rim size	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14
Sleeping berths	5 (6)	4	5 (6)	6 (7)	7
Bed dimensions, front (cm)	198 x 145	198 x 155	216 x 165/153	216 x 147/137	198 x 155
Bed dimensions, centre (cm)	208 x 101/111	–	188 x 77 [2]); Folding bed: 180 x 60	196 x 136; Folding bed: 183 x 60 [3])	207 x 95 ; 2 x Bunk beds: 207 x 72
			(opt. bunk bed 2 x 188 x 72 available)		Folding bed 201 x 62
Bed dimensions, rear (cm)	192 x 70; 190 x 76	216 x 210/153	198 x 155	176 x 71; 176 x 76	216 x 149
Hinged windows all around ***	6	6	7	9	10
Skylights with insect protection	3	3	3	4	4
Mushroom-shaped fans	1	1	1	0	1

– Not provided
*) including drawbar

** Maximum user payload (kg) = Difference between mass of unladen vehicle and permitted total mass.
For explanations please refer to page 27.
*** Interior: fly screen and black out blind

[2]) Move-out for bed extension with compensating cushion (middle seating groups) available as an option, item-no. 551965
[3]) folding bed above fixed bed available as an option, item-no. 551112

1. VEHICLE, CHASSIS

- AL-KO Euro chassis with semi-trailing link axle (mono axle; starting from body length 650 with tandem axle)
- 2 hydraulic wheel shock absorbers
- Automatic reversing system
- Hand brake servo-assisted
- AKS stabiliser
- Spare wheel housing in gas bottle box
- Adjustment with crank supports

2. BODY

- Roof of GRP w/ reduced sensitivity of hail
- Aluminium hammer tone finish, front and tail in blank sheet
- Lockable outside hatch
- Door width 60 cm, split horizontally incl. garbage
- Convenience one-key locking system
- Gas bottle box in the front for 2 x 11 kg gas bottles
- Thickness, roof: 31, Thickness, side wall: 31, Thickness, floor: 38 mm
- 12 V outdoor tent light
- Additional security lighting 3rd brake light

3. INTERIOR

- Furniture flaps Effect elm decor
- Hard-wearing PVC floor covering in wood design
- Ventilated cupboards and storage compartments
- Upholstery selection: Energy, Pulse
- 5 zones of comfort foam mattress, divided
- Textile room partitioner
- Individually movable spots in seating and bed area

4. ELECTRICS

- Electric coupling to drawing vehicle, Jaeger 13 pole
- Interior lighting complete in 12V version
- 230 V Euro exterior power socket, several security interior sockets
- TV installation prepared (co-axial cabling)
- Transformer 240 VA

5. GAS / WATER / HEATING

- Gas heating, model: Truma S 3004 (from body length 550: Truma S 5004)
- Fresh water tank permanent mount, 45 ltr.
- Central waste water discharge, one exterior water outlet underneath floor
- Hot water supply with immersion pump 12 V
- Truma Therme hot-water system for kitchen and toilet
- Air circulation system 12V, air circulation system with temperature sensitive automatic revolution system

6. KITCHEN / SANITARY AREA

- 3-flame gas stove with glass cover and stainless steel sink
- Refrigerator Dometic 108 ltr., gas, 230 V, 12V (gas operation in driving mode are only allowed in combination with Truma Mono Contol)
- Comfort bathroom (optional shower set; serial equipment on 580 QS)
- Washing basin tap
- Hinged window in toilet room with frosted glass (without blinds)
- Ceramic cassette rotating toilet Dometic
- LED-worksurface lighting

114505 Plus package (16,5 kg)

150065	Lift-tilt sunroof, Heki II
100170	Heavy-duty corner steadies
100832	Insect protection blind, full length of the door

114105 Winter package (up to body length 550) (19 kg)

100694	Winter cover for gas bottle box in KNAUS design
550086	Auxiliary electric heating, Truma Ultraheat
550279	Electric floor heating up to body length 550

Info: Possible up to body length 550

114106 Winter package (starting from body length 580) (19 kg)

100694	Winter cover for gas bottle box in KNAUS design
550086	Auxiliary electric heating, Truma Ultraheat
550920	Electric floor heating starting from body length 580

Info: Possible starting from body length 580

Item no.	• = option | – = Not available | X = standard equipment	kg		400 LK	400 QD	420 QD	450 FU	460 EU	500 EU	500 FDK	500 FU	500 QDK	550 FSK	580 QS	580 FUS	650 UDF	700 UFK	750 FKU
	VEHICLE																	
	Chassis																	
150997	AL-KO-ATC traction control system	4,5		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
150108	Aluminium wheels for Mono axle up to 1,300 kg	-		•	•	•	•	•	•	•	•	•	-	-	-	-	-	-
150109	Aluminium wheels for Mono axle																	
	starting from 1,400 kg	-		-	-	-	-	-	-	-	-	-	•	•	•	-	-	-
150110	Aluminium wheels for tandem axle	-		-	-	-	-	-	-	-	-	-	-	-	-	•	•	•
150122	Spare wheel incl. car jack	25		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
150620	Roadway kit tyre filling system incl. compressor	2,5		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
150065	Fixing supports, solid form, long	6,5		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
152069	Truma Mover XT / mono axle til 2.000 kg –																	
	Installation requires combination with 12 V																	
	mobile system (Opt. 250376)	28		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
152071	Truma Mover XT 2 / tandem axle til 2.400 kg –																	
	Installation requires combination with 12 V																	
	mobile system (Opt. 250376)	28		-	-	-	-	-	-	-	-	-	-	-	-	•	•	•
152072	Truma Mover XT 4 / tandem axle starting from																	
	2.500 kg – Installation requires combination																	
	with 12 V mobile system (Opt. 250376)	60		-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	BODY																	
	Windows, doors, vents																	
100918	Hinged window	8		X	X	X	•	•	•	•	•	X	•	•	•	X	X	•
102154	Hinged window for toiletroom - without blinds	1		•	•	•	X	•	•	X	X	•	X	X	X	X	•	X
102126	Hinged window left			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
102153	Blinds for hinged window toiletroom - only in																	
	combination with Opt. 102154																	
	"Hinged window for toiletroom"	-		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
101958	2. garage door 60 x 95 cm, left or right side to																	
	select (not in combination with 3rd bunk bed)	5,5		-	-	-	-	-	-	•	-	•	•	-	-	-	-	-
100170	Lift-tilt sunroof, HEKI II	7,2		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
100832	Insect protection blind, full length of the door	3		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
100612	Service flap lockable	1,5		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

Item no.	• = option | – = Not available | X = standard equipment	kg		400 LK	400 QD	420 QD	450 FU	460 EU	500 EU	500 FDK	500 FU	500 QDK	550 FSK	580 QS	580 FUS	650 UDF	700 UFK	750 FKU
	Other																	
100577	Roof railing	10		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
100570	Drawbar covering (not available in combination																	
	with bike rack on drawbar)	4		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
100215	Bike rack rear mounting, for 2 bikes																	
	(max. load capacity 60 kg)	6		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
100039	Bike rack on drawbar, for 2 bikes	5		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
100694	Exterior gas socket	7		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
951036	registration papers	-		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	INTERIOR FURNISHING																	
	Living / sleeping																	
551687	bunk bed	-		•	-	-	-	-	-	-	-	-	-	-	-	•	-	-
550590	3rd bunk bed	-		•	-	-	-	-	-	•	-	•	•	-	-	-	-	-
550660	Decoration packages: table cloth/s,																	
	pillows/cushions, blanket	-		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
551413	Single column lift table (variant from Südwind)	-		-	-	-	•	•	•	-	•	-	X	X	•	•	•	•
551112	folding bed	8		-	-	-	-	-	-	-	-	-	-	-	-	-	•	-
552052	Air condition Freshjet 2200	30		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
550040	Fixed beds with spring mattress	9,5		-	-	•	•	•	•	•	•	•	•	•	•	•	•	•
551408	Extendible slatted frame for single beds	0,5		-	-	-	-	•	•	-	-	-	-	-	-	-	-	-
551968	Deluxe bed construction with second																	
	compensating cushion (possible for all round																	
	seating groups and dinette).	-		X	X	X	X	X	X	•	X	-	•	•	X	X	X	•
551965	Move-out for bed extension with																	
	compensating cushion	-		-	•	•	-	-	-	•	-	•	•	•	-	•	•	•
552188	Upholstery selection „Active Navy" or																	
	„Active Rock"	-		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
550075	Carpeting for body length 400 to 460	5		•	•	•	•	•	-	-	-	-	-	-	-	-	-	-
550076	Carpeting for body lengt 500 to 590	6		-	-	-	-	-	•	•	•	•	•	•	•	-	-	-
550077	Carpeting for body lengt 650 to 750	7		-	-	-	-	-	-	-	-	-	-	-	-	•	•	•
550081	Airmix proportioning of fresh air unit in air																	
	circulation system	1		•	•	•	•	•	•	•	•	•	•	•	•	•	•	-
551966	Textile wall covering above the bed*	-		-	•	•	•	•	•	•	•	-	•	•	•	-	-	•

*) depending on the design: Puls, Energy or Active-textile

Item no.	• = option | – = Not available | X = standard equipment	kg		400 LK	400 QD	420 QD	450 FU	460 EU	500 EU	500 FDK	500 FU	500 QDK	550 FSK	580 QS	580 FUS	650 UDF	700 UFK	750 FKU
	Electrics																	
551480	Ambiance lighting	-		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
250004	Aerial package Caro	14		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
250072	Additional 230 V socket inside	0,3		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
250940	Additional 12 V socket inside	0,3		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
250941	Combi-external plug socket																	
	(combination electricity + TV)	-		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
250969	Flat screen TV 19¨ LCD monitor	9		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
251261	Holder for flat screen TV, swivelling	3		•	•	-	•	•	•	•	•	•	•	•	•	•	•	•
250376	12 V mobile system, comprising: Gel battery,																	
	automatic charger, and master switch	28,6		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
551327	Smoke warning system	0,3		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Gas, heating, water																	
300518	Exterior gas socket	-		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
301956	Mono Contol CS vertical (on 1 gas bottle)	-		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
301957	Duo Control CS vertical (on 2 gas bottles)	1,3		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
301057	Remote display + ice-ex for DuoControl	0,5		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
550279	Electric floor heating up to body length 550	7		•	•	•	•	•	•	•	•	•	•	-	-	-	-	-
550920	Electric floor heating starting from																	
	body length 580	7,5		-	-	-	-	-	-	-	-	-	-	•	•	•	•	•
550086	Additional electric heating Truma Ultraheat	2		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
450092	Waste water tank mobile, 25 litre	3,3		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
450019	City water supply connection (only in																	
	combination with fresh water tank 45 ltr.)	0,5		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
450093	Fresh water tank mobile, 25 ltr	3,3		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
450563	Fresh water tank liquid level indicator	-		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
302033	Gas warning system			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Kitchen and sanitary area																	
401940	Kitchen equipment comprising: Kitchen roll																	
	holder, spice board, hooks for dish towels	1,5		-	-	-	-	-	-	•	•	-	•	•	•	•	•	•
401798	189 l Dometic refrigerator with separate freezer																	
	door, 230V/gas instead of 108 l (gas operation in																	
	driving mode are only allowed in combination																	
	with Truma Mono Contol)	5		-	-	-	-	-	-	-	•	•	-	•	•	•	•	•
400060	Microwave	15		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
450585	Additional shower kit for longitudinally																	
	positioned bathroom	2		-	-	-	•	-	-	•	•	-	•	X	•	•	-	•

Item no.	• = option | – = Not available | X = standard equipment	kg		400 LK	400 QD	420 QD	450 FU	460 EU	500 EU	500 FDK	500 FU	500 QDK	550 FSK	580 QS	580 FUS	650 UDF	700 UFK	750 FKU
450520	Additional shower kit for centrally																	
	positioned bathroom	2		•	•	•	-	•	•	-	-	•	-	-	-	-	•	-
	EXTRAS																	
	Awning Omnistor																	
500160	Awning 265cm x 200cm –																	
	starting from body length 400	20		•	•	-	-	-	-	-	-	-	-	-	-	-	-	-
500161	Awning 305cm x 250cm –																	
	starting from body length 420	23		-	-	•	•	•	-	-	-	-	-	-	-	-	-	-
500163	Awning 405cm x 250cm –																	
	starting from body length 500	30		-	-	-	-	-	•	•	•	•	•	•	•	-	-	-
501730	Awning 455cm x 250cm –																	
	starting from body length 590	33		-	-	-	-	-	-	-	-	-	-	-	-	•	•	•
500657	Awning with mounting on the roof																	
	400cm x 250 cm	40		-	-	-	-	-	-	-	-	-	•	•	•	-	-	-
501997	Awning with mounting on the roof																	
	455 cm x 250 cm	42		-	-	-	-	-	-	-	-	-	-	-	-	•	•	•
	Weight increase																	
150111	1.100 up to 1.200/1.300 kg			•	•	-	-	-	-	-	-	-	-	-	-	-	-	-
150112	1.100 up to 1.400/1.500 kg			•	•	-	-	-	-	-	-	-	-	-	-	-	-	-
150111	1.200 up to 1.300 kg			-	-	•	•	-	-	-	-	-	-	-	-	-	-	-
150112	1.200 up to 1.400/1.500 kg			-	-	•	•	-	-	-	-	-	-	-	-	-	-	-
150112	1.300 up to 1.400/1.500/1.600/1.700 kg			-	-	-	-	•	•	•	•	•	-	-	-	-	-	-
150111	1.400 up to 1.500 kg			-	-	-	-	-	-	-	-	-	•	-	-	-	-	-
150112	1.400 up to 1.600/1.700 kg			-	-	-	-	-	-	-	-	-	•	-	-	-	-	-
150112	1.500 up to 1.600/1.700/1.800 kg			-	-	-	-	-	-	-	-	-	-	•	•	-	-	-
150111	1.800 up to 1.900/2.000 kg			-	-	-	-	-	-	-	-	-	-	-	-	•	-	-
150112	1.800 up to 2.500 kg			-	-	-	-	-	-	-	-	-	-	-	-	•	-	-
150111	1.900 up to 2.000 kg			-	-	-	-	-	-	-	-	-	-	-	-	-	•	-
150112	2.000 up to 2.500 kg			-	-	-	-	-	-	-	-	-	-	-	-	-	-	•

LIFESTYLE
Technical specifications



KNAUS LIFESTYLE	550 LK
Technical Specifications/Equipment details	
Total length including drawbar	750
Usable length	554
Total width / Interior width (cm)	250/234
Total height / Interior height (cm)	257/196
Awning dimensions (cm)	982
Mass of the unladen vehicle (kg)**	1.260
Mass in running order (kg)**	1.330
Maximum technically permissible laden mass (kg)**	1.500
Maximum user payload (kg)**	170
Chassis	
Tyre size	185 R14C
Rim size	5 1/2 J x 14
Body	
Double hinged window	7
with insect protection and blackout blinds	6
with alu-blind	1
Panorama window fixed with alu-blind	2
Living area	
Sleeping berths	4,00 €
Seats availabe on bar	4
Seats availabe on lounge sofa	4
Bed dimensions, lounge sofa (cm)	212 x 160
Bed dimensions, bunk bed (cm)	190 x 70; 190 x 77

KNAUS LIFESTYLE | Standard equipment

1. VEHICLE / CHASSIS
- AL-KO Euro chassis with semi-trailing link axle
- Fixing crank supports
- 2 hydraulic wheel shock absorbers
- Hand brake servo-assisted
- Automatic reversing system
- AKS stabiliser
- Spare wheel mount screw-in mount in gas bottle box

2. BODY
- Roof of GRP w/ reduced sensitivity of hail
- Aluminium hammer tone finish, front and tail in blank sheet
- Lockable outside hatch
- Door width 60 cm, with window, split horizontally incl. garbage
- Convenience one-key locking system
- Gas bottle box in the front for 2 x 11 kg gas bottles
- Thickness: roof: 31 mm, side wall: 31 mm, floor: 38 mm
- 12 V outdoor tent light
- Additional security lighting 3rd brake light

3. ELECTRICS
- Electric coupling to drawing vehicle, Jaeger 13 pole
- Interior lighting complete in 12V version
- 230 V Euro exterior power socket, several security interior sockets
- Powerfull 12V and 230 V board electronics
- Table lamp, spots (six pieces lounge sofa, two pieces bar, four pieces kitchen, two pieces bath, two pieces bunk bed)
- Converter 240 VA

4. INTERIOR
- Modern furniture flaps Mistral
- Hard-wearing PVC floor covering in wood design
- Double hinged window, with insect protection and blackout blinds or alu-blinds
- 2 panorama windows fixed with alu-blind, fixed with blinds and sitting place incl. 2 seating cushions
- Roof hatches, hinged, clear glass, 40 x 40 cm, with insect protection
- Lounge sofa, convertible to double bed
- Upholstery selection: Carbon, Petrol, Stone
- TV installation prepared
- Sliding curtains
- Split levels
- Rotating couch table
- Pull-out table with table lamp, shelf and integral bar compartmen
- bunk beds with access ladder, fall-out protection and separate kids lighting

5. BAR AREA
- 2 Barchair stackable
- Seating bench with 2 seat cushion

6. GAS / WATER
- Gas heating, model: Truma S 5004 with automatic speed control
- Fresh water tank permanent mount, 45 ltr.
- Hot water supply with immersion pump 12 V
- Central waste water discharge, one exterior water outlet underneath floor
- Truma Therme hot-water system for kitchen and toilet
- Air circulation system 12V, air circulation system with temperature sensitive automatic revolution system

7. KITCHEN / BATH
- 3-flame gas stove with glass cover and stainless steel sink
- Refrigerator Dometic 148 ltr., gas, 230 V, 12V (gas operation in driving mode are only allowed in combination with Truma Mono Contol)
- Self-closing drawers
- Spice rack
- Comfort bathroom with semi-rigid basin, modern basin mixer, mirror, cupboards, shelves and 12V lighting (2 spots), mushroom vent
- Ceramic cassette toilet Dometic

** Maximum user payload (kg) = Difference between mass of unladen vehicle and permitted total mass. For explanations please refer to page 27.

*** Interior: fly screen and black out blind

– Not provided
*) including drawbar

Item no.	• = option | – = Not available | X = standard equipment	kg	
	Chassis		
	Weight increase		
150112	1.500 up to 1.600/1.700 kg		
	VEHICLE		
150997	AL-KO-ATC traction control system	4,5	
150109	Aluminium wheels for Mono axle starting from 1,400 kg	-	
150122	Spare wheel incl. car jack	25	
150620	Roadway kit tyre filling system incl. compressor	2,5	
150065	Fixing supports, solid form, long	6,5	
	BODY		
	Windows, doors, vents		
100170	Lift-tilt sunroof, HEKI II	7,2	
100832	Insect protection blind, full length of the door	3	
100612	Service flap lockable	1,5	
	Other		
100577	Roof railing	10	
100570	Drawbar covering (not available in combination with bike rack on drawbar)	4	
100039	Bike rack on drawbar, for 2 bikes	5	
100694	Exterior gas socket	7	
951036	registration papers	-	
	INTERIOR FURNISHING		
	Living / sleeping		
550660	Decoration packages: table cloth/s, pillows/cushions, blanket	-	
552052	Air condition Freshjet 2200	30	
550076	Carpeting for body lengt 500 to 590	6	
550081	Airmix proportioning of fresh air unit in air circulation system	0,5	
552276	Alternativ: Design strip brown instead of red		

Item no.	• = option | – = Not available | X = standard equipment	kg	
	Electrics		
250004	Aerial package Caro	15	
250072	Additional 230 V socket inside	0,3	
250940	Additional 12 V socket inside	0,3	
250941	Combi-external plug socket (combination electricity + TV)	-	
250969	Flat screen TV 19¨ LCD monitor	9	
251261	Holder for flat screen TV, swivelling	3	
250376	12 V mobile system, comprising: Gel battery, automatic charger, and master switch	28,6	
551327	Smoke warning system	0,3	
	Gas, heating, water		
300518	Exterior gas socket	-	
301956	Mono Contol CS vertical (on 1 gas bottle)	-	
301957	Duo Control CS vertical (on 2 gas bottles)	-	
301057	Remote display + ice-ex for DuoControl	-	
550279	Electric floor heating up to body length 550	10	
550086	Additional electric heating Truma Ultraheat	2	
450092	Waste water tank mobile, 25 litre	3,3	
450019	City water supply connection (only in combination with fresh water tank 45 ltr.)	0,5	
450563	Fresh water tank liquid level indicator	-	
302033	Gas warning system		
	Kitchen and sanitary area		
450520	Additional shower kit for centrally positioned bathroom	2	
	EXTRAS		
500163	Awning 405cm x 250cm – starting from body length 500	30	

Take advantage of our special model Südwind Silver Selection

SÜDWIND

Technical specifications









KNAUS SÜDWIND	420 QD	450 FU	460 EU	500 EU	500 FDK	500 FU	500 FVU
Technical Specifications/Equipment details							
Total length*	640	666	686	728	728	728	728
Interior length (cm)	444	470	490	532	532	532	532
Total width / Interior width (cm)	232/216	232/216	232/216	232/216	232/216	232/216	232/216
Total height / Interior height (cm)	257/196	257/196	257/196	257/196	257/196	257/196	257/196
Awning dimensions (cm)	872	898	918	960	960	960	960
Mass of the unladen vehicle (kg) **	980	1.040	1.100	1.150	1.150	1.150	1.150
Mass in running order (kg) **	1.050	1.110	1.170	1.220	1.220	1.220	1.220
Maximum technically permissible laden mass (kg) **	1.300	1.300	1.400	1.500	1.500	1.500	1.500
Maximum user payload (kg) **	250	190	230	280	280	280	280
Tyre size	195/70 R 14	195/70 R 14	185 R14C	185 R14C	185 R14C	185 R14C	185 R14C
Rim size	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14
Sleeping berths	3	4	4	4	up to 6	4	4
Bed dimensions, front (cm)	207x 134	192x138	193 x 85 / 181 x 85	193 x 85 / 181 x 85	192x138	192x138	192x138
Bed dimensions, centre (cm)	–	–	-	-	214 x 95	–	–
Bed dimensions, rear (cm)	190 x 143/85	198 x 155/127	198 x 107	198 x 137	210 x 72 / 198 x 72	198 x 153/143	198 x 153
Hinged windows all around ***	5	6	6	6	6	6	6
Skylights with insect protection	2	2	4	4	3	2	2
Mushroom-shaped fans	1	1	0	0	1	1	1

– Not provided
*) including drawbar

** Maximum user payload (kg) = Difference between mass of unladen vehicle and permitted total mass.
For explanations please refer to page 27.

*** Interior: fly screen and black out blind

Take advantage of our special model Südwind Silver Selection

SÜDWIND

Technical specifications









KNAUS SÜDWIND	500 FSK	580 EU	580 FSK	580 QS	590 FUS	700 EU	750 UFK
Technical Specifications/Equipment details							
Total length*	728	782	782	782	804	888	944
Interior length (cm)	532	568	568	568	590	690	746
Total width / Interior width (cm)	250/234	232/216	250/234	250/234	250/234	250/234	250/234
Total height / Interior height (cm)	257/196	257/196	257/196	257/196	257/196	257/196	257/196
Awning dimensions (cm)	960	996	996	996	1.018	1.118	1.174
Mass of the unladen vehicle (kg) **	1.180	1.270	1.300	1.300	1.340	1.570	1.740
Mass in running order (kg) **	1.250	1.340	1.370	1.370	1.410	1.640	1.810
Maximum technically permissible laden mass (kg) **	1.500	1.600	1.600	1.600	1.700	1.900	2.000
Maximum user payload (kg) **	250	260	230	230	290	260	190
Tyre size	185 R14C	185 R14C	185 R14C	185 R14C	185 R14C	185/65 R14	195/70 R14
Rim size	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14
Sleeping berths	6	4	6	5	4	4	7
Bed dimensions, front (cm)	192 x 155	193 x 85 / 181 x 85	192 x 155	193 x 145	192 x 155	2 x 193 x 85	216 x 149
Bed dimensions, centre (cm)	214 x 112	-	214 x 112	214 x 112/102	-	-	191 x 136
							186 x 122
Bed dimensions, rear (cm)	228 x 72 / 216 x 72	198 x 157/147	228 x 72 / 216 x 72	192 x 70 / 190 x 76	216 x 210/153	216 x 171/163	192 x 70 / 190 x 76
Hinged windows all around ***	6	6	6	7	6	7	10
Skylights with insect protection	3	4	3	2	3	4	4
Mushroom-shaped fans	1	0	1	2	1	1	1

*** Interior: fly screen and black out blind

** Maximum user payload (kg) = Difference between mass of unladen vehicle and permitted total mass.
For explanations please refer to page 27.

– Not provided
*) including drawbar

1. VEHICLE, CHASSIS

- AL-KO Euro chassis with semi-trailing link axle (mono axle; starting from body length 650 with tandem axle)
- 2 hydraulic wheel shock absorbers
- Automatic reversing system
- Hand brake servo-assisted
- AKS stabiliser
- Spare wheel mount screw-in mount in gas bottle box
- Adjustment with crank supports

2. BODY

- Roof of GRP w/ reduced sensitivity of hail
- Aluminium hammer tone finish, front and tail in blank sheet
- Lockable outside hatch
- Door width 60 cm, with windowsplit horizontally incl. garbage
- Convenience one-key locking system
- Gas bottle box in the front for 2 x 11 kg gas bottles
- Thickness, roof: 31 mm , Thickness, side wall: 31 mm, Thickness, floor: 38 mm
- 12 V outdoor tent light
- Additional security lighting 3rd brake light
- Rotating aluminium edging-loading PROTECFRAME option for awnings (both sides)
- Integrated front and brake lights with LED technology

3. INTERIOR

- Furniture flaps Mali Akazie decor
- Hard-wearing PVC floor covering in wood design
- Ventilated cupboards and storage compartments
- Upholstery selection: Pepita, Mocca
- 5 zones of comfort foam mattress, divided
- Textile room partitioner
- Single column lift table

4. ELECTRICS

- Electric coupling to drawing vehicle, Jaeger 13 pole
- Interior lighting complete in 12V version
- 230 V Euro exterior power socket, several security interior sockets
- TV installation, prepared (coaxial cable laying) - TV position on entrance cabinet in 450 FU, 500 FU, 580 EU, 590 FUS, 750 UFK; above refrigerator in 580 FSK, 580 QS; on sideboard seating group 460 EU; at seating group 500 FDK, 500 FSK; at kitchen side cabinet 420 QD)
- Transformer 384 VA

5. GAS / WATER / HEATING

- gas heating, model: Truma S 3004 (up to body length 500); Truma S 5004 (starting from body length 550)
- Fresh water tank permanent mount, 45 ltr.
- Central waste water discharge, one exterior water outlet underneath floor
- Hot water supply with immersion pump 12 V
- Truma Therme hot-water system for kitchen and toilet
- Air circulation system 12V, air circulation system with temperature sensitive automatic revolution system

6. KITCHEN / SANITARY AREA

- 3-flame gas stove with glass cover and stainless steel sink
- Knaus kitchen tap
- Refrigerator Dometic 108 ltr., gas, 230 V, 12V (gas operation in driving mode are only allowed in combination with Truma Mono Contol)
- Comfort bathroom (optional shower set, on 580 QS, 700 EU, 750 UFK included as Standard equipment)
- Washing basin tap "KNAUS"
- Hinged window in toilet room with frosted glass and blinds/insect protection blinds (depending on vehicle layout)
- Ceramic cassette toilet Dometic

114505 Plus package (16,5 kg)

150065	Lift-tilt sunroof, Heki II
100170	Heavy-duty corner steadies
100832	Insect protection blind, full length of the door

114105 Winter package (up to body length 550) (19 kg)

100694	Winter cover for gas bottle box in KNAUS design
550086	Auxiliary electric heating, Truma Ultraheat
550279	Electric floor heating up to body length 550

Info: Possible up to body length 550

114106 Winter package (starting from body length 580) (19 kg)

100694	Winter cover for gas bottle box in KNAUS design
550086	Auxiliary electric heating, Truma Ultraheat
550920	Electric floor heating starting from body length 580

Info: Possible starting from body length 580

Item no.	• = option | – = Not available | X = standard equipment	kg		420 QD	450 FU	460 EU	500 EU	500 FDK	500 FU	500 FVU	500 FSK	580 EU	580 FSK	580 QS	590 FUS	700 EU	750 UFK
	VEHICLE																
	Chassis																
150997	AL-KO-ATC traction control system	4,5		•	•	•	•	•	•	•	•	•	•	•	•	•	•
150108	Aluminium wheels for Mono axle up to 1,300 kg	-		•	•	-	-	-	-	-	-	-	-	-	-	-	-
150109	Aluminium wheels for Mono axle																
	starting from 1,400 kg	-		-	-	•	•	•	•	•	•	•	•	•	•	-	-
150110	Aluminium wheels for tandem axle	-		-	-	-	-	-	-	-	-	-	-	-	-	•	•
150122	Spare wheel incl. car jack	25		•	•	•	•	•	•	•	•	•	•	•	•	-	-
152026	Spare wheel with alloy rim, underfloor adjustment	15		•	•	•	•	•	•	•	•	•	•	•	•	•	•
150620	Roadway kit tyre filling system incl. compressor	2,5		•	•	•	•	•	•	•	•	•	•	•	•	•	•
151634	Wheel trims	-		•	•	•	•	•	•	•	•	•	•	•	•	•	•
150065	Fixing supports, solid form, long	6,5		•	•	•	•	•	•	•	•	•	•	•	•	•	•
152069	Truma Mover XT / mono axle til 2.000 kg –																
	Installation requires combination with 12 V mobile																
	system (Opt. 250376)	28		•	•	•	•	•	•	•	•	•	•	•	•	-	-
152071	Truma Mover XT 2 / tandem axle til 2.400 kg –																
	Installation requires combination with 12 V mobile																
	system (Opt. 250376)	28		-	-	-	-	-	-	-	-	-	-	-	-	•	•
152072	Truma Mover XT 4 / tandem axle starting from																
	2.500 kg – Installation requires combination																
	with 12 V mobile system (Opt. 250376)	60		-	-	-	-	-	-	-	-	-	-	-	-	-	•
	BODY																
	Windows, doors, vents																
100918	Hinged window	8		•	•	•	•	•	•	•	•	•	•	X	•	•	X
102154	Hinged window for toiletroom - without blinds	1		•	X	•	•	X	X	X	X	•	X	X	X	•	X
102153	Blinds for hinged window toiletroom - only in																
	combination with Opt. 102154 "Hinged window for																
	toiletroom"	-		•	•	•	•	•	•	•	•	•	•	•	•	•	•
101958	2. garage door 60 x 95 cm, left or right side to select																
	(not in combination with 3rd bunk bed)	5,5		-	-	-	-	•	-	-	•	-	•	-	-	-	-
100170	Lift-tilt sunroof, HEKI II	7,2		•	•	•	•	•	•	•	•	•	•	•	•	•	•
100832	Insect protection blind, full length of the door	3		•	•	•	•	•	•	•	•	•	•	•	•	•	•
100612	Service flap lockable	1,5		•	•	•	•	•	•	•	•	•	•	•	•	•	•

Item no.	• = option | – = Not available | X = standard equipment	kg		420 QD	450 FU	460 EU	500 EU	500 FDK	500 FU	500 FVU	500 FSK	580 EU	580 FSK	580 QS	590 FUS	700 EU	750 UFK
	Other																
100577	Roof railing	10		•	•	•	•	•	•	•	•	•	•	•	•	•	•
100570	Drawbar covering (not available in combination																
	with bike rack on drawbar)	4		•	•	•	•	•	•	•	•	•	•	•	•	•	•
100215	Bike rack rear mounting, for 2 bikes																
	(max. load capacity 60 kg)	6		•	•	•	•	•	•	•	•	•	•	•	•	•	•
100039	Bike rack on drawbar, for 2 bikes	5		•	•	•	•	•	•	•	•	•	•	•	•	•	•
100694	Exterior gas socket	7		•	•	•	•	•	•	•	•	•	•	•	•	•	•
951036	registration papers	-		•	•	•	•	•	•	•	•	•	•	•	•	•	•
	INTERIOR FURNISHING																
	Living / sleeping																
551979	3rd bunk bed with Linen cupboard			-	-	-	-	•	-	-	•	-	•	-	-	-	-
550660	Decoration packages: table cloth/s,																
	pillows/cushions, blanket	-		•	•	•	•	•	•	•	•	•	•	•	•	•	•
552052	Air condition Freshjet 2200	30		•	•	•	•	•	•	•	•	•	•	•	•	•	•
550040	Fixed beds with spring mattress	9,5		•	•	•	•	•	•	•	•	•	•	•	•	•	•
552009	Adjustment for table flexibly	-		•	•	•	•	•	•	•	•	•	•	•	•	•	•
550042	Knaus comfort bed –																
	cold-foam mattress incl. disc-spring bed bases	1		•	•	•	•	•	•	•	•	•	•	•	•	•	•
551408	Extendible slatted frame for single beds	0,5		-	-	•	•	-	-	-	-	•	-	-	-	•	-
551965	Move-out for bed extension with																
	compensating cushion	-		-	-	-	-	•	-	-	•	-	•	•	-	-	•
552188	Upholstery selection „Active Navy" or „Active Rock"	-		•	•	•	•	•	•	•	•	•	•	•	•	•	•
550075	Carpeting for body length 400 to 460	5		•	•	•	-	-	-	-	-	-	-	-	-	-	-
550076	Carpeting for body lengt 500 to 590	6		-	-	-	•	•	•	•	•	•	•	•	•	-	-
550077	Carpeting for body lengt 650 to 750	7		-	-	-	-	-	-	-	-	-	-	-	•	•	•
550081	Airmix proportioning of fresh air unit in air																
	circulation system	1		•	•	•	•	•	•	•	•	•	•	•	•	•	-
551966	Textile wall covering above the bed*	-		-	•	•	•	•	•	•	•	•	•	-	•	•	-

*) depending on the design: Pepita, Mocca or Active fabrics

Item no.	• = option | – = Not available | X = standard equipment	kg		420 QD	450 FU	460 EU	500 EU	500 FDK	500 FU	500 FVU	500 FSK	580 EU	580 FSK	580 QS	590 FUS	700 EU	750 UFK
	Electrics																
551480	Ambiance lighting	-		•	•	•	•	•	•	•	•	•	•	•	•	•	•
250004	Aerial package Caro	14		•	•	•	•	•	•	•	•	•	•	•	•	•	•
250072	Additional 230 V socket inside	0,3		•	•	•	•	•	•	•	•	•	•	•	•	•	•
250940	Additional 12 V socket inside	0,3		•	•	•	•	•	•	•	•	•	•	•	•	•	•
250941	Combi-external plug socket																
	(combination electricity + TV)	-		•	•	•	•	•	•	•	•	•	•	•	•	•	•
250969	Flat screen TV 19¨ LCD monitor	9		•	•	•	•	•	•	•	•	•	•	•	•	•	•
251261	Holder for flat screen TV, swivelling	3		-	•	•	•	•	•	•	•	•	•	•	•	•	•
250376	12 V mobile system, comprising: Gel battery,																
	automatic charger, and master switch	28,6		•	•	•	•	•	•	•	•	•	•	•	•	•	•
251358	Radio preparation incl. 2 speakers and cable laying	1		•	•	•	•	•	•	•	•	•	•	•	•	•	•
250231	Radio/CD/MP3-Tuner with USB -																
	only available in combination with radio preparation	1		•	•	•	•	•	•	•	•	•	•	•	•	•	•
251969	USB port above the seating group	-		•	•	•	•	•	•	•	•	•	•	•	•	•	•
551327	Smoke warning system	0,3		•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Gas, heating, water																
300518	Exterior gas socket	-		•	•	•	•	•	•	•	•	•	•	•	•	•	•
301956	Mono Contol CS vertical (on 1 gas bottle)	-		•	•	•	•	•	•	•	•	•	•	•	•	•	•
301957	Duo Control CS vertical (on 2 gas bottles)	1,3		•	•	•	•	•	•	•	•	•	•	•	•	•	•
301057	Remote display + ice-ex for DuoControl	0,5		•	•	•	•	•	•	•	•	•	•	•	•	•	•
450098	ALDE hot water heating – possible for SW 500 FU,																
	580 FSK, 590 FUS, 700 EU, 700 UFK			-	-	-	•	-	•	-	-	•	•	-	•	•	•
550279	Electric floor heating up to body length 550	7		•	•	•	•	•	•	•	•	-	-	-	-	-	-
550920	Electric floor heating starting from body length 580	7,5		-	-	-	-	-	-	-	-	•	•	•	•	•	•
550086	Additional electric heating Truma Ultraheat	2		•	•	•	•	•	•	•	•	•	•	•	•	•	•
450092	Waste water tank mobile, 25 litre	3,3		•	•	•	•	•	•	•	•	•	•	•	•	•	•
450019	City water supply connection (only in combination																
	with fresh water tank 45 ltr.)	0,5		•	•	•	•	•	•	•	•	•	•	•	•	•	•
450093	Fresh water tank mobile, 25 ltr	3,3		•	•	•	•	•	•	•	•	•	•	•	•	•	•
450563	Fresh water tank liquid level indicator	-		•	•	•	•	•	•	•	•	•	•	•	•	•	•
450090	Hot-water system Truma gas boiler, 10 l, mixer taps,																
	shower equipment, shower curtain, 25 l																
	waste water tank	19		•	•	•	•	•	•	•	•	•	•	•	•	•	•
302033	Gas warning system																

Item no.	• = option | – = Not available | X = standard equipment	kg		420 QD	450 FU	460 EU	500 EU	500 FDK	500 FU	500 FVU	500 FSK	580 EU	580 FSK	580 QS	590 FUS	700 EU	750 UFK
	Kitchen and sanitary area																
400622	Extractor hood	2,5		-	-	-	-	•	•	•	•	-	•	•	•	•	•
401940	Kitchen equipment comprising: Kitchen roll holder,																
	spice board, hooks for dish towels	1,5		-	-	-	-	•	•	•	•	-	•	•	•	•	•
401798	189 l Dometic refrigerator with separate freezer door,																
	230V/gas instead of 108 l (gas operation in driving																
	mode are only allowed in combination with Truma																
	Mono Contol)	5		-	-	-	-	-	•	-	-	•	•	•	•	•	•
400060	Microwave	15		-	•	-	-	-	•	-	-	•	-	•	•	•	•
450585	Additional shower kit for longitudinally																
	positioned bathroom	2		-	•	-	-	•	•	•	•	-	•	X	•	X	X
450520	Additional shower kit for centrally																
	positioned bathroom	2		•	-	•	•	-	-	-	-	•	-	-	-	-	-
400369	Oven with grill	13,2		•	•	•	•	•	•	•	•	•	•	•	•	•	•
	EXTRAS																
	Awning Omnistor																
500161	Awning 305cm x 250cm –																
	starting from body length 420	23		•	•	•	-	-	-	-	-	-	-	-	-	-	-
500163	Awning 405cm x 250cm –																
	starting from body length 500	30		-	-	-	•	•	•	•	•	•	•	•	-	-	-
501730	Awning 455cm x 250cm –																
	starting from body length 590	33		-	-	-	-	-	-	-	-	-	-	-	•	•	•
500657	Awning with mounting on the roof 400cm x 250 cm	40		-	-	-	-	-	-	-	•	-	•	•	-	-	-
501997	Awning with mounting on the roof 455 cm x 250 cm	42		-	-	-	-	-	-	-	-	-	-	-	•	•	•
	Weight increase																
150112	1.300 up to 1.400/1.500			•	-	-	-	-	-	-	-	-	-	-	-	-	-
150112	1.300 up to 1.400/1.500/1.600/1.700 kg			-	•	-	-	-	-	-	-	-	-	-	-	-	-
150111	1.400 up to 1.500 kg			-	-	•	-	-	-	-	-	-	-	-	-	-	-
150112	1.400 up to 1.600/1.700 kg			-	-	•	-	-	-	-	-	-	-	-	-	-	-
150112	1.500 up to 1.600/1.700/1.800 kg			-	-	-	•	•	•	•	•	-	-	-	-	-	-
150111	1.600 up to 1.700 kg			-	-	-	-	-	-	-	-	•	•	•	-	-	-
150112	1.600 up to 1.800/1.900 kg**			-	-	-	-	-	-	-	-	•	•	•	-	-	-
150112	1.700 up to 1.800/1.900 kg**			-	-	-	-	-	-	-	-	-	-	-	•	-	-
150111	1.900 up to 2.000 kg			-	-	-	-	-	-	-	-	-	-	-	-	•	-
150112	1.900 up to 2.500 kg			-	-	-	-	-	-	-	-	-	-	-	-	•	-
150112	2.000 up to 2.500 kg			-	-	-	-	-	-	-	-	-	-	-	-	-	•

** Alloy rims must be fitted for load increases to 1.900 kg due to their higher payload capacity..

SÜDWIND EXCLUSIVE

Technical specifications








SÜDWIND EXCLUSIVE	450 FU	500 FU	580 EU	580 UF	650 UDF	750 UFK
Technical Specifications/Equipment details						
Total length*	666	728	782	782	858	944
Interior length (cm)	470	532	568	568	660	746
Total width / Interior width (cm)	232 / 216	232 / 216	232 / 216	250 / 234	250 / 234	250 / 234
Total height / Interior height (cm)	257 / 196	257 / 196	257 / 196	257 / 196	257/196	257/196
Awning dimensions (cm)	898	960	996	996	1.088	1.174
Mass of the unladen vehicle (kg) **	1.060	1.170	1.290	1.320	1.560	1.760
Mass in running order (kg) **	1.130	1.240	1.360	1.390	1.630	1.830
Maximum technically permissible laden mass (kg) **	1.300	1.500	1.600	1.600	1.900	2.000
Maximum user payload (kg) **	170	260	240	210	270	170
Tyre size	195/70 R 14	185 R14C	185 R14C	185 R14C	185/65 R14	195/70 R14
Rim size	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14
Sleeping berths	4	4	4	4	bis zu 7	7
Bed dimensions, front (cm)	192x138	192x138	193 x 86 / 181 x 86	222 x 195/150	222 x 195/137	222 x 148
Bed dimensions, centre (cm)	–	–	-	-	189 x 82; Folding bed: 180 x 60	191 x 136
					(opt. bunk bed 2 x 188 x 72 available)	
Bed dimensions, rear (cm)	204 x 155/127	204 x 159/153	204 x 157/147	192x138	192 x 147	183 x 120 /
						bunk bed: 1x 192x70,1x190x76
Hinged windows all around ***	6	6	6	5	7	10
Skylights with insect protection	2	2	4	3	4	4
Mushroom-shaped fans	1	1	0	1	0	1

*** Interior: fly screen and black out blind

** Maximum user payload (kg) = Difference between mass of unladen vehicle and permitted total mass.
For explanations please refer to page 27.

– Not provided
*) including drawbar

1. VEHICLE, CHASSIS

- AL-KO Euro chassis with semi-trailing link axle (mono axle; starting from body length 650 with tandem axle)
- 2 hydraulic wheel shock absorbers
- Spare wheel mount screw-in mount in gas bottle box
- Automatic reversing system
- Hand brake servo-assisted
- AKS stabiliser
- Adjustment with heavy load supports

2. BODY

- Roof of GRP w/ reduced sensitivity of hail
- Aluminium hammer tone finish, front and tail in blank sheet
- Lockable outside hatch
- Door width 60 cm, with window, split horizontally incl. garbage
- Graffiti in resin technology
- Convenience one-key locking system
- Gas bottle box in the front for 2 x 11 kg gas bottles
- Lift-tilt sunroof, Heki II
- Insect protection blind, full length of the door
- Thickness: roof: 31 mm, side wall: 31 mm, floor: 38 mm
- 12 V outdoor tent light
- Additional security lighting 3rd brake light
- Rotating aluminium edging-loading PROTECFRAME option for awnings (both sides)
- Integrated front and brake lights with LED technology

3. INTERIOR

- Furniture flaps Cherry Tortona
- Hard-wearing PVC floor covering in wood design
- Ventilated cupboards and storage compartments
- Upholstery selection: Vanilla Cream, Structure
- 5 zones of comfort foam mattress, divided
- Textile room partitioner
- Single column lift table

4. ELECTRICS

- Electric coupling to drawing vehicle, Jaeger 13 pole
- Interior lighting complete in 12V version
- 230 V Euro exterior power socket, several security interior sockets
- TV installation prepared (co-axial cabling)
- USB port
- Transformer 384 VA

5. GAS / WATER

- Gas heating, model: Truma S 3004 (up to body length 500);
- Truma S 5004 (starting from body length 580)
- Fresh water tank permanent mount, 45 ltr.
- Central waste water discharge, one exterior water outlet underneath floor
- Truma Therme hot-water system for kitchen and toilet
- Hot water supply with immersion pump 12 V
- Air circulation system 12V, air circulation system with temperature sensitive automatic revolution system

6. KITCHEN / SANITARY AREA

- 3-flame gas stove with glass cover and stainless steel sink
- Knaus kitchen tap
- Refrigerator Dometic 108 ltr., gas, 230 V, 12V (gas operation in driving mode are only allowed in combination with Truma Mono Contol)
- Comfort bathroom (optional shower set, on 580 UF, 650 UDF, 750 UFK included as Standard equipment)
- Washing basin tap "KNAUS"
- Hinged window in toilet room with frosted glass and blinds/insect protection blinds (depending on vehicle layout)
- Ceramic cassette toilet Dometics

114105 Winter package (up to body length 550) (19 kg)

100694	Winter cover for gas bottle box in KNAUS design
550086	Auxiliary electric heating, Truma Ultraheat
550279	Electric floor heating up to body length 550

Info: Possible up to body length 550

114106 Winter package (starting from body length 580) (19 kg)

100694	Winter cover for gas bottle box in KNAUS design
550086	Auxiliary electric heating, Truma Ultraheat
550920	Electric floor heating starting from body length 580

Info: Possible starting from body length 580

Item no.	• = option | – = Not available | X = standard equipment	kg		450 FU	500FU	580 EU	580 UF	650 UDF	750 UFK
	VEHICLE								
	Chassis								
150997	AL-KO-ATC traction control system	4,5		•	•	•	•	•	•
150108	Aluminium wheels for Mono axle up to 1,300 kg	-		•	-	-	-	-	-
150109	Aluminium wheels for Mono axle starting from 1,400 kg	-		-	•	•	•	-	-
150110	Aluminium wheels for tandem axle	-		-	-	-	-	•	•
150122	Spare wheel incl. car jack	25		•	•	•	•	-	-
150620	Roadway kit tyre filling system incl. compressor	2,5		•	•	•	•	•	•
151634	Wheel trims	-		•	•	•	•	•	•
152069	Truma Mover XT / mono axle til 2.000 kg –								
	Installation requires combination with 12 V mobile system (Opt. 250376)	28		•	•	•	•	-	-
152071	Truma Mover XT 2 / tandem axle til 2.400 kg –								
	Installation requires combination with 12 V mobile system (Opt. 250376)	28		-	-	-	-	•	•
152072	Truma Mover XT 4 / tandem axle starting from 2.500 kg –								
	Installation requires combination with 12 V mobile system (Opt. 250376)	60		-	-	-	-	•	•
	BODY								
	Windows, doors, vents								
100918	Hinged window	8		-	-	-	X	X	X
102154	Hinged window for toiletroom - without blinds	3		X	X	•	X	X	X
102153	Blinds for hinged window toiletroom -								
	only in combination with Opt. 102154 "Hinged window for toiletroom"			X	X	•	X	X	X
101958	2. garage door 60 x 95 cm, left or right side to select								
	(not in combination with 3rd bunk bed)	5,5		-	-	-	-	-	-
100612	Service flap lockable	1,5		•	•	•	•	•	•
	Other								
100577	Roof railing	10		•	•	•	•	•	•
100570	Drawbar covering (not available in combination with bike rack on drawbar)	4		•	•	•	•	•	•
100215	Bike rack rear mounting, for 2 bikes (max. load capacity 60 kg)	6		•	•	•	•	•	•
100039	Bike rack on drawbar, for 2 bikes	5		•	•	•	•	•	•
100694	Exterior gas socket	7		•	•	•	•	•	•
951036	registration papers	-		•	•	•	•	•	•

Item no.	• = option | – = Not available | X = standard equipment	kg		450 FU	500FU	580 EU	580 UF	650 UDF	750 UFK
	INTERIOR FURNISHING								
	Living / sleeping								
551687	bunk bed	–		-	-	-	-	•	-
551979	3rd bunk bed with Linen cupboard	–		-	-	-	-	-	-
550660	Decoration packages: table cloth/s, pillows/cushions, blanket	-		•	•	•	•	•	•
552052	Air condition Freshjet 2200	30		•	•	•	•	•	•
550040	Fixed beds with spring mattress	9,5		•	•	•	•	•	•
552009	Adjustment for table flexibly	-		•	•	•	•	•	•
550042	Knaus comfort bed – cold-foam mattress incl. disc-spring bed bases	1		•	•	•	•	•	•
551408	Extendible slatted frame for single beds	0,5		-	-	•	-	-	-
551965	Move-out for bed extension with compensating cushion	-		-	-	-	-	-	•
552188	Upholstery selection „Active Navy" oder „Active Rock"	-		•	•	•	•	•	•
550783	leather "Las Vegas"	-		•	•	•	•	•	•
550075	Carpeting for body length 400 to 460	5		•	-	-	•	-	-
550076	Carpeting for body lengt 500 to 590	6		-	•	•	-	•	•
550077	Carpeting for body lengt 650 to 750	7		-	-	-	•	•	•
550081	Airmix proportioning of fresh air unit in air circulation system	1		•	•	•	•	•	-
551966	Textile wall covering above the bed*	-		•	•	•	•	•	-
	Electrics								
551480	Ambiance lighting	-		•	•	•	•	•	•
250004	Aerial package Caro	14		•	•	•	•	•	•
250072	Additional 230 V socket inside	0,3		•	•	•	•	•	•
250940	Additional 12 V socket inside	0,3		•	•	•	•	•	•
250941	Combi-external plug socket (combination electricity + TV)	-		•	•	•	•	•	•
250969	Flat screen TV 19" LCD monitor	9		•	•	•	•	•	•
251261	Holder for flat screen TV, swivelling	3		•	•	•	•	•	•
250376	12 V mobile system, comprising:								
	Gel battery, automatic charger, and master switch	28,6		•	•	•	•	•	•
251358	Radio preparation incl. 2 speakers and cable laying	1		•	•	•	•	•	•
250231	Radio/CD/MP3-Tuner with USB -								
	only available in combination with radio preparation	1		•	•	•	•	•	•
551327	Smoke warning system	0,3		•	•	•	•	•	•

*) Vanilla Cream, Structure or Active fabrics

Item no.	• = option | – = Not available | X = standard equipment	kg		450 FU	500FU	580 EU	580 UF	650 UDF	750 UFK
	Gas, heating, water								
300518	Exterior gas socket	-		•	•	•	•	•	•
301956	Mono Contol CS vertical (on 1 gas bottle)	-		•	•	•	•	•	•
301957	Duo Control CS vertical (on 2 gas bottles)	1,3		•	•	•	•	•	•
301057	Remote display + ice-ex for DuoControl	0,5		•	•	•	•	•	•
450098	ALDE hot water heating –								
	possible for SW 500 FU, 580 FSK, 590 FUS, 700 EU, 700 UFK			•	•	•	•	•	•
351967	ALDE hot-water floor heating			-	-	-	•	•	•
550279	Electric floor heating up to body length 550	7		•	•	-	-	-	-
550920	Electric floor heating starting from body length 580	7,5		-	-	•	•	•	•
550086	Additional electric heating Truma Ultraheat	2		•	•	•	•	•	•
450092	Waste water tank mobile, 25 litre	3,3		•	•	•	•	•	•
450019	City water supply connection								
	(only in combination with fresh water tank 45 ltr.)	0,5		•	•	•	•	•	•
450093	Fresh water tank mobile, 25 ltr	3,3		•	•	•	•	•	•
450563	Fresh water tank liquid level indicator	-		•	•	•	•	•	•
450090	Hot-water system Truma gas boiler, 10 l, mixer taps,								
	shower equipment, shower curtain, 25 l waste water tank	19		•	•	•	•	•	•
400369	Oven with grill	13,2		•	•	•	•	•	•
302033	Gas warning system			•	•	•	•	•	•
	Kitchen and sanitary area								
400622	Extractor hood	2,5		-	•	-	•	•	•
401940	Kitchen equipment comprising: Kitchen roll holder,								
	spice board, hooks for dish towels	1,5		-	•	-	•	•	•
401798	189 l Dometic refrigerator with separate freezer door,								
	230V/gas instead of 108 l (gas operation in driving mode are								
	only allowed in combination with Truma Mono Contol)	5		-	•	•	•	•	•
400060	Microwave	15		•	•	•	•	•	•
450585	Additional shower kit for longitudinally positioned bathroom	2		•	•	-	X	X	X
450520	Additional shower kit for centrally positioned bathroom	2		-	-	•	-	-	-

Item no.	• = option | – = Not available | X = standard equipment	kg		450 FU	500FU	580 EU	580 UF	650 UDF	750 UFK
	EXTRAS								
	Awning Omnistor								
500161	Awning 305cm x 250cm – starting from body length 420	23		•	-	-	-	-	-
500163	Awning 405cm x 250cm – starting from body length 500	30		-	•	•	•	-	-
501730	Awning 455cm x 250cm – starting from body length 590	33		-	-	-	-	•	•
500657	Awning with mounting on the roof 400cm x 250 cm	40		-	-	-	•	-	-
501997	Awning with mounting on the roof 455 cm x 250 cm	42		-	-	-	-	•	•
	Weight increase								
150112	1.300 up to 1.400/1.500/1.600/1.700 kg			•	-	-	-	-	-
150112	1.500 up to 1.600/1.700/1.800 kg			-	•	-	-	-	-
150111	1.600 up to 1.700 kg			-	-	•	•	-	-
150112	1.600 up to 1.800/1.900 kg**			-	-	•	•	-	-
150111	1.800 up to 1.900/2.000 kg			-	-	-	-	•	-
150111	1.900 up to 2.000 kg			-	-	-	-	•	-
150112	1.900 up to 2.500 kg			-	-	-	-	•	-
150112	2.000 up to 2.500 kg			-	-	-	-	-	•

EUROSTAR
Technical specifications



KNAUS EUROSTAR	650 ES
Technical Specifications/Equipment details	
Total length*	936
Interior length (cm)	660
Total width / Interior width (cm)	250 / 234
Total height / Interior height (cm)	260 / 196
Awning dimensions (cm)	1.120
Mass of the unladen vehicle (kg) **	2.160
Mass in running order (kg) **	2.230
Zulässige Gesamtmasse (kg) **	2.500
Maximum user payload (kg) **	270
Tyre size	205 / 65R15 RF
Rim size	6 ½ J x 15
Sleeping berths	4
Bed dimensions, front (cm)	2 Stk. 200 x 100 / 86
Bed dimensions, centre (cm)	-
Bed dimensions, rear (cm)	200 x 115 / 170
Hinged windows all around ***	6

KNAUS EUROSTAR | Standard equipment

1. CHASSIS
- AL-KO tandem chassis with semi-trailing link axle
- Aluminum rims, completely painted black
- Wide gauge safety chassis with axle shock absorbers
- Drawbar cover
- Low-profile tires
- 4 hydraulic wheel shock absorbers
- Automatic reversing system
- Hand brake servo-assisted
- AKS stabilizer
- Spare wheel mount in gas bottle box
- AL-KO Stabilform supports

2. BODYWORK
- TVT (Top Value Technology), innovative, weatherproof construction technology in the side walls
- LFI (Long Fiber Injection technology), automotive free-form design with excellent insulation values
- and low weight for front and back walls
- GRP roof with reduced hail sensitivity
- Wall thickness 31 mm, roof thickness 58 mm, floor thickness 47 mm
- Sheet white (Fiat bianco)
- Gas bottle box lid with gas pressure absorber and three-point locking
- Seitz windows with double insulated glazing, hinged, insulating tinting,
- with combi blinds and mosquito netting
- Split entrance door with window and blind, 60 cm width, incl. garbage bin
- One-key locking system
- Integrated gas bottle box, corrugated sheet front base
- 3 Midi-Heki Style in the living space, force-ventilated
- 1 Mini-Heki in the shower, force-ventilated
- Service flap in the side wall (layout-dependent)
- Rear storage box with robust composite floor
- Movement sensor awning light, 12 V, over entrance door
- FOD (Freedom of Design), innovative printing technology for a brilliant 3D graphic on the side wall

3. GAS / WATER / HEATING
- Gas heating Truma C6 with air distribution and integrated warm water boiler
- CP-Plus digital heater control panel with many useful additional features such as
- temperature selection and timer switch
- Fresh water tank 45 l, integrated in the multi-functional floor
- Water supply with submersible pump, 12 V
- Central waste water drain; one external drain under the floor
- City water supply connection

4. LIVING
- Furniture decor "Salem ash"
- High quality furniture flaps and doors in 3D shaping technology, "Antique White"
- Unique salon seating arrangement with additional stool and single post lift-table
- Navigation table / secretary with swiveling backrest
- Innovative partition with book shelf, apothecary drawer and bottle rack
- Hinged door to the bathroom
- Upholstered walls in the living room corners, with indirect lighting and high-quality reading spots
- High-quality PVC flooring in maritime look
- Multi-function floor with underfloor shells
- CI-bus connection, central lighting control, LED lights can be dimmed
- Indirect LED light strip in the overhead cabinet frieze and storage areas

5. KITCHEN
- Extra-tall Dometic 148 l refrigerator, gas, 230 V, 12 V, with lighting and freezer
- (gas operation in driving mode is only allowed in combination with Truma Mono Control)
- Kitchen worktop made of high-quality material, with integrated drainage surface and drip edge
- 2-flame Spin Flow gas cooker with safety pilot and piezo-igniter
- Additional induction hob 230 V
- Swiveling, extra-tall KNAUS kitchen faucet, extra-deep stainless steel sink
- Drawers with high-quality soft-close mechanism and subdivisions
- Stylish window cladding in the kitchen area
- High-quality LED kitchen light for excellent illumination of the worktop
- En-suite bathroom
- Stylish sink made of high-quality fiberglass plastic with practical storage areas
- Wall unit with mirror and integrated lighting, generous storage areas on the front and side
- Spacious shower unit made of high-quality fiberglass plastic with integrated shower function profile and practical storage areas
- Thetford Bank toilet
- 1 Mini-Heki in the shower, force-ventilated
- 12 V LED lighting

6. ELECTRICS
- Electric coupling to towing vehicle, Jaeger 13 pole
- Interior lighting complete LED in 12 V version
- 230 V Euro exterior power socket, several Schuko interior sockets
- Large LED ceiling light, mounted LED spotlights (energy-saving, long lifetime)
- TV installation prepared (co-axial cabling)
- Converter/switching power supply 400 W integrated in the multi-function floor
- 3 USB ports (TV living room, secretary, bedroom)

– Not provided
*) including drawbar

** Maximum user payload (kg) = Difference between mass of unladen vehicle and permitted total mass.
For explanations please refer to page 27.

*** Interior: fly screen and black out blind

Item no.	• = option | – = Not available | X = standard equipment	kg	
	VEHICLE		
150840	AL-KO Big Foot for premium supports	2	
150266	AL-KO Safety Compact 2004	1	
150997	AL-KO-ATC traction control system	4,5	
152026	Spare wheel with alloy rim, underfloor adjustment	15	
151678	Hydraulic supports – installation must be combined		
	with the autonomy or 12 V package	22	
152072	Truma Mover XT 4 / tandem axle starting from 2.500 kg –		
	Installation requires combination with 12 V mobile system (Opt. 250376)	60	
	Chassis		
102011	Frame windows		
101402	Full height insect screen camper door	3	
	Other		
551327	Smoke warning system	0,3	
951036	registration papers	-	
	INTERIOR FURNISHING		
	Living / sleeping		
550660	Decoration packages:		
	table cloth/s, pillows/cushions, blanket	-	
552052	Air condition Freshjet 2200	30	
550040	Fixed beds with spring mattress	9,5	
552252	Single bed extension	2,5	
	Kitchen and sanitary area		
400622	Extractor hood	2,5	
452253	Soap dispenser, toothbrush tumbler		
	(wash corner) and second towel rail (shower unit)	2	

Item no.	• = option | – = Not available | X = standard equipment	kg	
	Electrics		
251998	Automatic CaroVision antennae Ð (without receiver)	10	
251336	Antenna cable on the drawbar, 5 m length	2	
251337	Antenna cable on the drawbar, 10 m length	4	
250072	Additional 230 V socket inside	0,3	
250940	Additional 12 V socket inside	0,3	
250941	Combi-external plug socket (combination electricity + TV)	-	
252250	Flat screen 26'' with integrated receiver and swiveling holder / living room	12	
252034	Radio preparation incl. four speakers	1	
252251	Sound system Eurostar	10	
	Gas, heating, water		
300518	Exterior gas socket	-	
301956	Mono Contol CS vertical (on 1 gas bottle)	-	
301957	Duo Control CS vertical (on 2 gas bottles)	1,3	
301057	Remote display + ice-ex for DuoControl	0,5	
351386	ALDE hot water heating Ð no need for service flap	34	
550920	Electric floor heating starting from body length 580	7,5	
450092	Waste water tank mobile, 25 litre	3,3	
451960	Fresh water tank, 75 l, integrated in the functional floor	5,5	
302033	Gas warning system		
	EXTRAS		
501997	Awning with mounting on the roof 455 cm x 250 cm	42	
	Weight increase		
150112	1.100 up to 1.400/1.500 kg		

ALL CARAVANS BY KNAUS ARE DELIVERED WITH A EUROPE-WIDE 5 YEAR LEAK TIGHTNESS GUARANTEE AND A 24 MONTHS WARRANTY. PLEASE NOTE FOR ALL KNAUS CARAVANS:

Dimensions and weight data may vary ca.+/–5% due to tolerances of the natural raw materials used.

With any modifications done on the vehicle by a non-authorized dealer or garage you may put at risk your personal security and lose KNAUS operating licence and warranty.
Please have any repairs, retrofittings or upgrades executed by an authorized KNAUS dealer only, and ask for original KNAUS parts.
Retrofittings, if technically possible, will cause additional mounting and material costs.
We reserve the right to any technical modifications as to design, colour, and equipment, if technical improvement requires us to do so.
In exceptional cases some combinations of extras and options may occur as mutually exclusive.
The contents of this list reflect arrangements at printing, in June 2015. It is effective as from 01.08.2015 for the 2016 model year. Previous lists are no longer valid. We reserve the right to change content at our discretion.

The water supply system is minimum state of the art (03/2009) (Regulation 2002/72/EC).

***) Annotation concerning weight data of your KNAUS caravans:**
KNAUS caravans come with generous permissible vehicle payload options.
By means of innovative solutions such as using high performance steel chassis' and honeycomb technology on furniture, low vehicle net weights are being realized.
Law requires that the weight data of a caravan be expressed as "mass in ready-to-start mode" as well as the "permissible total mass" (regulation(EU) 1230/2012)

MASS IN READY-TO-START MODE IS DEFINED AS FOLLOWS:

MASS OF THE EMPTY VEHICLE
+ liquid gas bottles (filled to 100%)
+ fresh water tank (filled to 100%)
+ toilet flush tank (100 % full)
+ fresh water boiler filled to 100%
= Mass in ready-to-start mode

EXAMPLE:
Mass of the empty vehicle
permissible total mass
maximum permissible payload
(luggage, payload, gas, water, petrol etc.)
The "permissible total mass " defines the maximum permissible mass of the vehicle (vehicle incl. Optional equipment / extras / packages, and gas, water, luggage, load, etc.) for driving.

For you as a caravan user the important value of the maximum user payload (for luggage, load, gas, water, etc.) is calculated from the difference between "permissible total mass" and "mass of the unladen vehicle":
The mass of the empty vehicle is defined through weighing the vehicle with standard equipment (excluding extras, options or package equipments). Fitting optional parts will increase your caravan's net weight, and reduce possible additional payload. Please contact your KNAUS dealer for a possible increase of your vehicle's GVW.

Please note that options, extras and packages may affect the mass of the empty vehicle and thus reduce the value of the maximum permissible payload. As a user of a caravan you are required not to exceed the values of the permissible total mass in driving mode, and the respective maximum permissible axle load limits.
Ordering options to replace specific package elements will not result in a delivery of these replaced elements, too.

How to read our layouts:



1. entrance door
2. cloakroom
3. TV-position
4. shower, wash basin and toilet
5. room partitioner
6. wardrobe
7. fixing bed
8. dinette / seating group
9. bunk bed
10. linen cupboard
11. refrigerator
12. kitchen with 3-flame gas stove and sink
13. U-seating group

KNAUS TABBERT GMBH
HELMUT-KNAUS-STRASSE 1 . 94118 JANDELSBRUNN . GERMANY

KNAUS
FREIHEIT. DIE BEWEGT.

R08115056-GB